



Date received 2020-06-15
Issued 2020-06-26

Matís ohf
Hrólfur Sigurdsson
Food Research, inn. and safety
Vinlandsleid 12
IS-113 Reykjavík
Iceland

Project
Reference

Analysis of drinking water

Your ID	R20-1267-1					
LabID	O11262503					
Analysis	Results	Uncertainty (±)	Unit	Method	Issuer	Sign
Ca	11.9	0.9	mg/l	1	R	FREN
Fe	0.00388	0.00087	mg/l	1	H	FREN
K	<0.4		mg/l	1	R	FREN
Mg	2.79	0.18	mg/l	1	R	FREN
Na	5.51	0.39	mg/l	1	R	FREN
Si	4.77	0.30	mg/l	1	R	FREN
Al	0.646	0.251	µg/l	1	H	FREN
As	<0.05		µg/l	1	H	FREN
Ba	0.180	0.036	µg/l	1	H	FREN
Cd	0.00281	0.00118	µg/l	1	H	FREN
Co	0.00569	0.00591	µg/l	1	H	FREN
Cr	0.0145	0.0294	µg/l	1	H	FREN
Cu	53.6	3.6	µg/l	1	R	FREN
Hg	<0.002		µg/l	1	F	FREN
Mn	<0.03		µg/l	1	H	FREN
Mo	0.300	0.069	µg/l	1	H	FREN
Ni	0.0585	0.0373	µg/l	1	H	FREN
P	2.90	0.79	µg/l	1	H	FREN
Pb	0.154	0.029	µg/l	1	H	FREN
Sr	32.0	3.2	µg/l	1	R	FREN
Zn	4.03	1.14	µg/l	1	H	FREN
V	0.672	0.140	µg/l	1	H	FREN
Sb	<0.01		µg/l	2	H	FREN
B	<10		µg/l	2	R	FREN
S	0.793	0.056	mg/l	2	R	FREN
Se	<0.5		µg/l	2	H	FREN
Li*	0.190		µg/l	2	S	FREN
benzene	<0.20		µg/l	3	1	FREN
toluene	<0.20		µg/l	3	1	FREN
ethylbenzene	<0.10		µg/l	3	1	FREN
m,p-xylene	<0.20		µg/l	3	1	FREN
o-xylene	<0.10		µg/l	3	1	FREN
xylenes, sum*	<0.15		µg/l	3	1	FREN
dichloromethane	<2.0		µg/l	4	1	FREN
1,1-dichloroethane	<0.10		µg/l	4	1	FREN

Report

T2012342

Page 2 (6)

2JQO0WIQ2NT



Your ID	R20-1267-1					
LabID	O11262503					
Analysis	Results	Uncertainty (\pm)	Unit	Method	Issuer	Sign
1,2-dichloroethane	<0.50		$\mu\text{g/l}$	4	1	FREN
trans-1,2-dichloroethene	<0.10		$\mu\text{g/l}$	4	1	FREN
cis-1,2-dichloroethene	<0.10		$\mu\text{g/l}$	4	1	FREN
1,2-dichloropropane	<1.0		$\mu\text{g/l}$	4	1	FREN
tetrachloromethane	<0.10		$\mu\text{g/l}$	4	1	FREN
1,1,1-trichloroethane	<0.10		$\mu\text{g/l}$	4	1	FREN
1,1,2-trichloroethane	<0.20		$\mu\text{g/l}$	4	1	FREN
trichloroethene	<0.10		$\mu\text{g/l}$	4	1	FREN
tetrachloroethene	<0.20		$\mu\text{g/l}$	4	1	FREN
vinylchloride	<1.0		$\mu\text{g/l}$	4	1	FREN
1,1-dichloroethene	<0.10		$\mu\text{g/l}$	4	1	FREN
naphthalene	<0.20		$\mu\text{g/l}$	5	1	FREN
acenaphthylene	<0.10		$\mu\text{g/l}$	5	1	FREN
acenaphthene	<0.0070		$\mu\text{g/l}$	5	1	FREN
fluorene	<0.010		$\mu\text{g/l}$	5	1	FREN
phenanthrene	<0.040		$\mu\text{g/l}$	5	1	FREN
anthracene	<0.0050		$\mu\text{g/l}$	5	1	FREN
fluoranthene	<0.0050		$\mu\text{g/l}$	5	1	FREN
pyrene	<0.0050		$\mu\text{g/l}$	5	1	FREN
benzo(a)anthracene	<0.0030		$\mu\text{g/l}$	5	1	FREN
chrysene	<0.0070		$\mu\text{g/l}$	5	1	FREN
benzo(b)fluoranthene	<0.0040		$\mu\text{g/l}$	5	1	FREN
benzo(k)fluoranthene	<0.0020		$\mu\text{g/l}$	5	1	FREN
benzo(a)pyrene	<0.0020		$\mu\text{g/l}$	5	1	FREN
dibenzo(ah)anthracene	<0.0020		$\mu\text{g/l}$	5	1	FREN
benzo(ghi)perylene	<0.0030		$\mu\text{g/l}$	5	1	FREN
indeno(123cd)pyrene	<0.0030		$\mu\text{g/l}$	5	1	FREN
PAH, sum 16 *	<0.20		$\mu\text{g/l}$	5	1	FREN
PAH, sum carcinogenic *	<0.012		$\mu\text{g/l}$	5	1	FREN
PAH, sum non carcinogenic *	<0.20		$\mu\text{g/l}$	5	1	FREN
PAH, sum 4 *	<0.0060		$\mu\text{g/l}$	5	1	FREN
PAH, sum L *	<0.20		$\mu\text{g/l}$	5	1	FREN
PAH, sum M *	<0.033		$\mu\text{g/l}$	5	1	FREN
PAH, sum H *	<0.013		$\mu\text{g/l}$	5	1	FREN
trichloromethane	<0.30		$\mu\text{g/l}$	6	1	FREN
tribromomethane	<0.20		$\mu\text{g/l}$	6	1	FREN
dibromochloromethane	<0.10		$\mu\text{g/l}$	6	1	FREN
bromodichloromethane	<0.10		$\mu\text{g/l}$	6	1	FREN
trihalomethanes, sum *	<0.35		$\mu\text{g/l}$	6	1	FREN
ammonium	<0.026		mg/l	7	1	FREN
ammonium nitrogen	<0.020		mg/l	7	1	FREN
chloride	8.93	1.34	mg/l	8	1	FREN
colour	<2.0		mgPt/l	9	1	FREN
sulphate	2.36	0.354	mg/l	10	1	FREN
TOC	<0.50		mg/l	11	1	FREN
nitrite	<0.0050		mg/l	12	1	FREN
nitrite nitrogen	<0.0020		mg/l	12	1	FREN
fluoride	<0.200		mg/l	13	1	FREN

Report

T2012342

Page 3 (6)

2JQO0WIQ2NT



Your ID	R20-1267-1					
LabID	O11262503					
Analysis	Results	Uncertainty (±)	Unit	Method	Issuer	Sign
CN total	<0.005		mg/l	14	1	FREN
nitrate	0.443	0.071	mg/l	15	2	ERKU
nitrate nitrogen	0.100	0.016	mg/l	15	2	ERKU

Report

T2012342

Page 4 (6)

2JQO0WIQ2NT



* indicates unaccredited analysis.

Method specification	
1	<p>Package V-2. Determination of metals without digestion. The measurement was carried out according to EPA-method 200.7(mod), SS EN ISO 11885(mod) (ICP-AES) and EPA-method 200.8(mod), SS EN ISO 17294-1,2(mod) (ICP-SFMS). Analysis of Hg with AFS according to SS-EN ISO 17852:2008.</p> <p>Special information for added metals to the package: W; the sample must not be acidified prior to analysis. S; the sample has been stabilized with H₂O₂.</p> <p>Rev 2015-06-25</p>
2	Additional metals
3	<p>Package OV-5. Determination of monocyclic aromatics (BTEX) according to method based on US EPA 624, US EPA 8260, EN ISO 10301, MADEP 2004, rev. 1.1. Measurement is performed with GC-FID and GC-MS.</p> <p>Rev 2013-09-19</p>
4	<p>Package OV-6. Determination of chlorinated aliphates including vinylchloride according to method based on US EPA 624, US EPA 8260, EN ISO 10301, MADEP 2004, rev.1.1.. The measurement is performed with GC-FID and GC-MS.</p> <p>Rev 2013-09-18</p>
5	<p>Package OV-1. Determination of polycyclic aromatic hydrocarbons, PAH (EPA-16) according to method based on US EPA 550 The measurement is performed by HPLC with fluorescence and PDA detection.</p> <p>PAH carcinogenic are benzo(a)anthracene, chrysene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, dibenzo(ah)anthracene and indeno(1,2,3-c,d)pyrene. Sum 4 PAH: benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, indeno(1,2,3-c,d)pyrene and benzo(g,h,i)perylene</p> <p>Sum PAH L: naphtalene, acenaphtene and acenaphthylene. Sum PAH M: fluorene, phenanthrene, anthracene, fluoranthene and pyrene Sum PAH H: benzo(a)anthracene, chrysene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, indeno(1,2,3-c,d)pyrene, dibenzo(a,h)anthracene and benzo(g,h,i)perylene)</p> <p>Rev 2013-09-24</p>
6	<p>Package OV-10. Determination of trihalomethanes according to a method based on US EPA 624, US EPA 8260, EN ISO 10301, MADEP 2004, rev.1.1. The measurement is performed with GC-FID and GC-MS.</p> <p>Rev 2013-09-19</p>
7	<p>Spectrophotometric determination of ammonium NH₄,low LOQ, according to method based on CSN EN ISO 11732, CSN EN ISO 13395, CSN EN 13370 and CSN EN 12506. The method includes filtration of turbid samples.</p> <p>Rev 2013-09-18</p>
8	Determination of chloride using ion chromatography according to CSN EN ISO 10304-1.

Report

T2012342

Page 5 (6)

2JQO0WIQ2NT



Method specification	
	The method includes filtration of turbid samples. Rev 2012-05-28
9	Spectrophotometric determination of colour after filtration according to method based on CSN EN ISO 7887. Rev 2013-09-26
10	Determination of sulfate with low LOQ, using ion chromatography according to a method based on CSN ISO 10304-1&2. The method includes filtration of turbid samples. Rev 2013-03-14
11	Determination of TOC with IR detection according to method based on CSN EN 1484 and CSN EN 13370. The method includes filtration of turbid samples. Rev 2014-11-24
12	Spectrophotometric determinataion of nitrite/nitrite nitrogen according to method based on CSN ISO 11732, CSN ISO 13395, CSN EN 13370 and CSN EN 12506. The method includes filtration of turbid samples. The time between sampling and analysis has exceeded 24 hours. Rev 2014-02-19
13	Determination of fluoride using ion chromatography according to CSN ISO 10304-1 and CSN EN 12506. The method includes filtration of turbid samples. Rev 2013-09-17
14	Spectrophotometric determination of total cyanide according to method based on TNV 757415. Rev 2013-09-19
15	Determination of nitrate, NO ₃ according to SS-EN ISO 10304-1. The measurement is performed with ion chromatography. Rev 2014-03-03

Approver	
ERKU	Erika Knutsson
FREN	Fredrik Enzell

Issuer¹	
F	The determination is performed using AFS The analysis is provided by ALS Scandinavia AB, Aurorum 10, 977 75 Luleå, Sweden, which is a testing laboratory, accredited by the Swedish accreditation body SWEDAC (Reg.No. 2030).
H	The determination is performed using ICP-SFMS The analysis is provided by ALS Scandinavia AB, Aurorum 10, 977 75 Luleå, Sweden, which is a testing laboratory, accredited by the Swedish accreditation body SWEDAC (Reg.No. 2030).

¹ The technical unit within ALS Scandinavia where the analysis was carried out, alternatively the subcontractor for the analysis.

Report

T2012342

Page 6 (6)

2JQO0WIQ2NT



Issuer ¹	
R	The determination is performed using ICP-AES The analysis is provided by ALS Scandinavia AB, Aurorum 10, 977 75 Luleå, Sweden, which is a testing laboratory, accredited by the Swedish accreditation body SWEDAC (Reg.No. 2030).
S	The determination is performed using ICP-SFMS The analysis is provided by ALS Scandinavia AB, Aurorum 10, 977 75 Luleå, Sweden, which is a testing laboratory, accredited by the Swedish accreditation body SWEDAC (Reg.No. 2030).
1	The analysis is provided by ALS Laboratory Group, Na Harfě 9/336, 190 00, Praha 9, Czech Republic, which is a testing laboratory, accredited by the Czech accreditation body CAI (Reg.No 1163). CAI is a signatory to a MLA within EA, the same LA to which the Swedish accreditation body SWEDAC is also a signatory. The laboratories are located in: Prague, Na Harfě 9/336, 190 00, Praha 9, Ceska Lipa, Bendlova 1687/7, 470 01 Ceska Lipa, Pardubice, V Raji 906, 530 02 Pardubice. Contact the laboratory for further information.
2	The analysis is provided by AK Lab AB, Getängsvägen 29, 504 68 Borås, Sweden, which is a testing laboratory, accredited by the Swedish accreditation body SWEDAC (Reg.No. 1790).

The uncertainty is given as extended uncertainty (according to the definition in "Guide to the Expression of Uncertainty in Measurement", JCGM 100:2008 Corrected version 2010) calculated with a coverage factor of 2, which gives a confidence level of approximately 95%.

Measurement of uncertainty is reported only for detected substances with levels above the reporting limits.

The uncertainty from subcontractors is often given as extended uncertainty calculated with a coverage factor of 2. Contact the laboratory for further information.

This report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

The results apply only to the material that has been identified, received, and tested.

Regarding the laboratory's liability in relation to assignment, please refer to our latest product catalogue or website <http://www.alsglobal.se>

The digitally signed PDF file represents the original report. Any printouts are to be considered as copies.