



## CERTIFICATE OF ANALYSIS

Work Order	: ST2333661	Page	: 1 of 6
Client	: Matis ohf	Project	: ----
Contact	: Hrólfur Sigurdsson	Purchase Number	: ST2333661
Address	: Food Research, inn. and safety Vinlandsleid 12 -113 Reykjavik Iceland	Sampler	: ----
E-mail	: hrolfur@matis.is	Site	: ----
Telephone	: 3544225000	Date Samples Received	: 2023-09-28 11:20
C-O-C number	: ----	Date Analysis Commenced	: 2023-10-02
Quote number	: HL2020SE-MAT-OHF0001 (OF191270)	Issue Date	: 2023-10-12 14:42
		No. of samples received	: 1
		No. of samples analysed	: 1

### General Comments

This certificate represents the original certificate and may not be modified or reproduced other than in full, except with the prior written approval of the issuing lab. The results apply only to the material that has been identified, received, and tested. The laboratory has no responsibility for information in this certificate that has been provided by the customer, or results that may be affected by such information. Regarding the laboratory's liability in relation to assignment, please refer to our website <http://www.alsglobal.se>

### Workorder Comments

Amendment 1 - the change applies to additional metals

Should a sample contain sediment it is decanted prior to volatile compounds determination.

Signatories	Position
Niels-Kristian Terkildsen	Laboratory Manager



Laboratory	: ALS Scandinavia AB Danderyd	Webpage	: <a href="http://www.alsglobal.se">www.alsglobal.se</a>
Address	: Rinkebyvägen 19C 182 36 Danderyd Sweden	E-mail	: <a href="mailto:info.ta@alsglobal.com">info.ta@alsglobal.com</a>
		Telephone	: +46 8 5277 5200



## Analytical Results

Client sample ID R23-2241-1/Vopnafjördur-Brim rannsóknarstofa

Laboratory sample ID ST2333661-001

Client sampling date / time Not specified

Sub-Matrix DRINKING WATER

Parameter	Result	MU	Unit	LOR	Method	Issuer
<b>Halogenated Volatile Organic Compounds</b>						
OV-10						
Chloroform	<0.10	----	µg/L	0.10	W-VOCGMS01	PR
Bromoform	<0.20	----	µg/L	0.20	W-VOCGMS01	PR
Dibromochloromethane	<0.10	----	µg/L	0.10	W-VOCGMS01	PR
Bromodichloromethane	<0.10	----	µg/L	0.10	W-VOCGMS01	PR
Sum of 4 Trihalomethanes (M1)	<0.250	----	µg/L	0.250	W-VOCGMS01	PR
<b>Sample Pre-Preparation</b>						
V-2-S						
Stabilisation	Yes *	----	-	-	W-PPV-S	LE
<b>Total Metals/Major Cations</b>						
V-2						
Aluminum	5.92	± 0.89	µg/L	0.2	W-SFMS-5A	LE
Arsenic	0.0688	± 0.0142	µg/L	0.05	W-SFMS-5A	LE
Barium	0.0649	± 0.0105	µg/L	0.01	W-SFMS-5A	LE
Cadmium	<0.002	----	µg/L	0.002	W-SFMS-5A	LE
Calcium	5.44	± 0.68	mg/L	0.1	W-AES-1A	LE
Chromium	0.184	± 0.028	µg/L	0.01	W-SFMS-5A	LE
Cobalt	0.00763	± 0.00320	µg/L	0.005	W-SFMS-5A	LE
Copper	0.281	± 0.047	µg/L	0.1	W-SFMS-5A	LE
Iron	0.00482	± 0.00086	mg/L	0.0004	W-SFMS-5A	LE
Lead	0.0140	± 0.0028	µg/L	0.01	W-SFMS-5A	LE
Magnesium	1.54	± 0.18	mg/L	0.09	W-AES-1A	LE
Manganese	0.225	± 0.033	µg/L	0.03	W-SFMS-5A	LE
Mercury	<0.002	----	µg/L	0.002	W-AFS-17V2	LE
Molybdenum	0.0922	± 0.0143	µg/L	0.05	W-SFMS-5A	LE
Nickel	0.675	± 0.102	µg/L	0.05	W-SFMS-5A	LE
Phosphorus	20.8	± 3.4	µg/L	1	W-SFMS-5A	LE
Potassium	<0.4	----	mg/L	0.4	W-AES-1A	LE
Silicon	6.50	± 0.76	mg/L	0.03	W-AES-1A	LE
Sodium	6.52	± 0.78	mg/L	0.1	W-AES-1A	LE
Strontium	5.81	± 0.82	µg/L	2	W-AES-1A	LE
Vanadium	5.57	± 0.82	µg/L	0.005	W-SFMS-5A	LE
Zinc	2.63	± 0.45	µg/L	0.2	W-SFMS-5A	LE
V-2-ADD						
Antimony	0.0128	± 0.0061	µg/L	0.01	W-SFMS-5A	LE
Boron	<10	----	µg/L	10	W-AES-1A	LE
Selenium	<0.3	----	µg/L	0.3	W-SFMS-5A	LE
V-2-Bas-ADD						
Lithium	<0.05 *	----	µg/L	0.050	W-SFMS-5A	LE
V-2-S						
Sulfur	0.420	± 0.050	mg/L	0.2	W-AES-1A	LE
<b>BTEX</b>						
OV-5A						
Benzene	<0.2	----	µg/L	0.2	HS-OV-21	ST



Parameter	Result	MU	Unit	LOR	Method	Issuer
<b>BTEX - Continued</b>						
OV-5A - Continued						
Toluene	<0.2	----	µg/L	0.2	HS-OV-21	ST
Ethylbenzene	<0.2	----	µg/L	0.2	HS-OV-21	ST
Sum of Xylenes	<0.2	----	µg/L	0.2	HS-OV-21	ST
<b>Polycyclic Aromatics Hydrocarbons (PAHs)</b>						
GRV-PAH						
Naphthalene	<0.0070	----	µg/L	0.0070	W-PAHGMS04	PR
Acenaphthylene	<0.0010	----	µg/L	0.0010	W-PAHGMS04	PR
Acenaphthene	<0.0010	----	µg/L	0.0010	W-PAHGMS04	PR
Fluorene	<0.0010	----	µg/L	0.0010	W-PAHGMS04	PR
Phenanthrene	<0.0010	----	µg/L	0.0010	W-PAHGMS04	PR
Anthracene	<0.0010	----	µg/L	0.0010	W-PAHGMS04	PR
Fluoranthene	<0.0010	----	µg/L	0.0010	W-PAHGMS04	PR
Pyrene	<0.0010	----	µg/L	0.0010	W-PAHGMS04	PR
Benz(a)anthracene	<0.0010	----	µg/L	0.0010	W-PAHGMS04	PR
Chrysene	<0.0010	----	µg/L	0.0010	W-PAHGMS04	PR
Benzo(b)fluoranthene	<0.0010	----	µg/L	0.0010	W-PAHGMS04	PR
Benzo(k)fluoranthene	<0.0010	----	µg/L	0.0010	W-PAHGMS04	PR
Benzo(a)pyrene	<0.0010	----	µg/L	0.0010	W-PAHGMS04	PR
Indeno(1.2.3.cd)pyrene	<0.00030	----	µg/L	0.00030	W-PAHGMS04	PR
Benzo(g.h.i)perylene	<0.00030	----	µg/L	0.00030	W-PAHGMS04	PR
Dibenz(a.h)anthracene	<0.00060	----	µg/L	0.00060	W-PAHGMS04	PR
Sum of carcinogenic PAH (M1)	<0.00295	----	µg/L	0.00295	W-PAHGMS04	PR
Sum of PAH L (M1)	<0.00450	----	µg/L	0.00450	W-PAHGMS04	PR
Sum of PAH M (M1)	<0.00250	----	µg/L	0.00250	W-PAHGMS04	PR
Sum of PAH H (M1)	<0.00310	----	µg/L	0.00310	W-PAHGMS04	PR
Sum of 16 PAH (M1)	<0.0101	----	µg/L	0.101	W-PAHGMS04	PR
Sum of other PAH (M1)	<0.00715	----	µg/L	0.00715	W-PAHGMS04	PR
<b>Nonmetallic Inorganic Parameters</b>						
Ammonium i vatten						
Ammonia and ammonium ions as NH4	<0.050	----	mg/L	0.050	W-NH4-SPC	PR
Ammonia and ammonium ions as N	<0.040	----	mg/L	0.040	W-NH4-SPC	PR
Cyanid (total) i vatten						
Total Cyanide	<0.005	----	mg/L	0.005	W-CNT-PHO	PR
Fluorid i vatten						
Fluoride	<0.200	----	mg/L	0.200	W-F-IC	PR
Klorid i vatten						
Chloride	8.07	± 1.21	mg/L	1.00	W-CL-IC	PR
Nitrat i vatten(0,02 mg)						
Nitrate as N	0.044 *	----	mg/L	0.005	W-IC-1/AKL	AK
Nitrate	0.195 *	----	mg/L	0.005	W-IC-1/AKL	AK
Nitrit i vatten (SPC)						
Nitrites	<0.0050	----	mg/L	0.0050	W-NO2-SPC	PR
Nitrite as N	<0.0020	----	mg/L	0.0020	W-NO2-SPC	PR
Sulfat i vatten (IC)						
Sulphate as SO4 2-	<5.00	----	mg/L	5.00	W-SO4-IC	PR
<b>Halogenated Volatile Organic Compounds</b>						
OV-6B						
Dichloromethane	<0.1	----	µg/L	0.1	HS-OV-6b	ST
1.1-Dichloroethane	<0.1	----	µg/L	0.1	HS-OV-6b	ST
1.2-Dichloroethane	<0.1	----	µg/L	0.1	HS-OV-6b	ST
trans-1.2-Dichloroethene	<0.1	----	µg/L	0.1	HS-OV-6b	ST
cis-1.2-Dichloroethene	<0.1	----	µg/L	0.1	HS-OV-6b	ST



Parameter	Result	MU	Unit	LOR	Method	Issuer
<b>Halogenated Volatile Organic Compounds - Continued</b>						
OV-6B - Continued						
1,2-Dichloropropane	<0.1	----	µg/L	0.1	HS-OV-6b	ST
Chloroform	<0.1	----	µg/L	0.1	HS-OV-6b	ST
Tetrachloromethane	<0.1	----	µg/L	0.1	HS-OV-6b	ST
1,1,1-Trichloroethane	<0.1	----	µg/L	0.1	HS-OV-6b	ST
1,1,2-Trichloroethane	<0.1	----	µg/L	0.1	HS-OV-6b	ST
Trichloroethene	<0.1	----	µg/L	0.1	HS-OV-6b	ST
Tetrachloroethene	<0.1	----	µg/L	0.1	HS-OV-6b	ST
Vinyl chloride	<0.1	----	µg/L	0.1	HS-OV-6b	ST
1,1-Dichloroethene	<0.1	----	µg/L	0.1	HS-OV-6b	ST
<b>Physical Parameters</b>						
Färg						
Colour (True)	<5.0	----	mgPt/l	5.0	W-COL-SPC	PR
<b>Other</b>						
TOC						
Total Organic Carbon	<0.50	----	mg/L	0.50	W-TOC-IR	PR

*The end of result part of the certificate of analysis*



## Brief Method Summaries

Analytical Methods	Method Reference
W-AES-1A	Determination of metals in fresh water, pool and drinking water by ICP-AES according to SS-EN ISO 11885:2009 and US EPA Method 200.7:1994. Samples are acidified with 1 ml high purity nitric acid per 100 ml prior to analysis. No digestion.
W-AFS-17V2	Determination of mercury (Hg) in natural water by AFS according to SS-EN ISO 17852:2008. Samples are acidified with 1 ml high purity nitric acid per 100 ml prior to analysis. No digestion.
W-PPV-S*	Stabilisation with H <sub>2</sub> O <sub>2</sub> prior to W-AES-1A (SE-SOP-0259).
W-SFMS-5A	Determination of metals in freshwater, pool and drinking water by ICP-SFMS according to SS-EN ISO 17294-2:2016 and US EPA Method 200.8:1994. Samples are acidified with 1 ml high purity nitric acid per 100 ml prior to analysis. No digestion.
W-IC-1/AKL	Determination of dissolved fluoride, chloride, nitrite, ortho-phosphate, bromide, nitrate and sulphate ions using liquid chromatography according to SS-EN ISO 10 304-1:2009.
W-CL-IC	CZ_SOP_D06_02_068 (CSN EN ISO 10304-1) Determination of dissolved fluoride, chloride, nitrite, bromide, nitrate and sulphate by ion liquid chromatography and calculation of nitrite nitrogen and nitrate nitrogen and sulphate sulphur from measured values including the calculation of total mineralization.
W-CNT-PHO	CZ_SOP_D06_02_089.A (CSN 75 7415, CSN EN ISO 14403-2) Determination of total cyanide by spectrophotometry and calculation of complex-forming cyanides from measured values.
W-COL-SPC	CZ_SOP_D06_02_079 (CSN EN ISO 7887) Determination of colour by spectrophotometry.
W-F-IC	CZ_SOP_D06_02_068 (CSN EN ISO 10304-1) Determination of dissolved fluoride, chloride, nitrite, bromide, nitrate and sulphate by ion liquid chromatography and calculation of nitrite nitrogen and nitrate nitrogen and sulphate sulphur from measured values including the calculation of total mineralization.
W-NH4-SPC	CZ_SOP_D06_02_019 (CSN EN ISO 11732, CSN EN ISO 13395, SM 4500-NO2-, SM 4500-NO3-) Determination of sum of ammonium and ammonium ions, nitrite and the sum of nitrite and nitrate ions by discrete spectrophotometry and calculation of nitrite, nitrate, ammonia, inorganic, organic, total nitrogen, free ammonia and dissociated ammonium ions from measured values including the calculation of total mineralization
W-NO2-SPC	CZ_SOP_D06_02_019 (ČSN EN ISO 11732, ČSN EN ISO 13395, SM 4500-NO2-, SM 4500-NO3-) Determination of nitrite sum and sum of nitrite and nitrate nitrogen by discrete spectrophotometry and calculation of nitrites and nitrates from measured values
W-PAHGMS04	CZ_SOP_D06_03_161 (US EPA Method 8270D; US EPA Method 8082A; ČSN EN ISO 6468; US EPA Method 8000D) Determination of semi volatile organic compounds by gas chromatography method with MS or MS/MS detection and calculation of semi volatile organic compounds sums from measured values
W-SO4-IC	CZ_SOP_D06_02_068 (CSN EN ISO 10304-1) Determination of dissolved fluoride, chloride, nitrite, bromide, nitrate and sulphate by ion liquid chromatography and calculation of nitrite nitrogen and nitrate nitrogen and sulphate sulphur from measured values including the calculation of total mineralization.
W-TOC-IR	CZ_SOP_D06_02_056 (CSN EN ISO 20236, SM 5310) Determination of total organic carbon (TOC), dissolved organic carbon (DOC), total inorganic carbon (TIC) and total carbon (TC) by IR detection.
W-VOCGMS01	CZ_SOP_D06_03_155 (US EPA Method 624, US EPA Method 5021A, US EPA Method 8260, US EPA 8015, CSN EN ISO 10301, MADEP 2004, rev. 1.1, CSN ISO 11423, CSN EN ISO 15680) Determination of volatile organic compounds by gas chromatography method with FID and MS detection and calculation of volatile organic compounds sums from measured values.
HS-OV-21	Measurement performed with headspace GC-MS according to EPA method 5021a rev. 2 update V.
HS-OV-6b	Determination of Chlorinated aliphatics (Low LOQ) in water with HS-GC-MS according to SS-EN ISO 10301:1997

**Key:** LOR = Limit of reporting represents the standard LOR for the respective parameters in each method. Note that limits of reporting may be affected if, e.g. additional dilution was required because of matrix effects, or the sample quantity was limited.

MU = Measurement Uncertainty

\* = Symbol succeeding any result indicates laboratory or subcontractor non-accredited test.

### Measurement Uncertainty:

The uncertainty is given as extended uncertainty (according to the definition in "Guide to the Expression of Measurement", JCGM 100:2008 Corrected version 2010) calculated with a coverage factor of 2, which give level of approximately 95%. Measurement of uncertainty is reported only for detected substances with levels above the reporting limits.

The uncertainty from subcontractors is often given as extended uncertainty calculated with a coverage factor of 2. Contact the laboratory for further information.



### ***Issuing lab***

	<b><i>Issuer</i></b>
AK	<i>The analysis is provided by AK-lab AB, Getängsvägen 29D Borås Sweden 50468 Accredited by: SWEDAC Accreditation Number: 1790</i>
LE	<i>The analysis is provided by ALS Scandinavia AB Luleå, Aurorum 10 Luleå Sweden 977 75 Accredited by: SWEDAC Accreditation Number: 2030, ISO/IEC 17025</i>
PR	<i>The analysis is provided by ALS Czech Republic, s.r.o., Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00 Accredited by: CAI Accreditation Number: 1163, CSN EN ISO/IEC 17025:2018</i>
ST	<i>The analysis is provided by ALS Scandinavia AB Danderyd, Rinkebyvägen 19C Danderyd Sweden 182 36 Accredited by: SWEDAC Accreditation Number: 2030, ISO/IEC 17025</i>